



PALMETTO GBA

MoIDX®

Insufficient Literature for MID – UTI Panels

The publications listed below have been reviewed and have NOT adequately met the clinical validity and clinical utility criteria for Urinary Tract Infection (UTI) Panels:

- Acar JF. *Serratia marcescens* infections. *Infect Control.* 1986;7(5):273-278. doi:10.1017/s0195941700064201
- Aggarwal D, Kanitkar T, Narouz M, Azadian BS, Moore LSP, Mughal N. Clinical utility and cost-effectiveness of bacterial 16S rRNA and targeted PCR based diagnostic testing in a UK microbiology laboratory network. *Sci Rep.* 2020;10(1):7965
- Alpay Y, Aykin N, Korkmaz P, Gulduren HM, Caglan FC. Urinary tract infections in the geriatric patients. *Pak J Med Sci.* 2018;34(1):67-72. doi:10.12669/pjms.341.14013
- Anger J, Lee U, Ackerman AL, et al. Recurrent uncomplicated urinary tract infections in women: AUA/CUA/SUFU guideline. *J Urol.* 2019;202(2):282-289
- Ashok A, Ko D, Lukacz, et al. PD32-09 comparison of guidance UTI and standard urine culture for rates of sepsis, hospitalization and other adverse outcomes in complicated urinary tract infections. *J. Urol.* 2022;207(suppl 5):e550
- Bank S, Hansen TM, Søby KM, Lund L, Prag J. *Actinobaculum schaalii* in urological patients, screened with real-time polymerase chain reaction. *Scand J Urol Nephrol.* 2011;45(6):406-410. doi:10.3109/00365599.2011.599333
- Baron EJ, Miller JM, Weinstein MP, et al. A guide to utilization of the microbiology laboratory for diagnosis of infectious diseases: 2013 recommendations by the Infectious Diseases Society of America (IDSA) and the American Society for Microbiology (ASM)(a). *Clin Infect Dis.* 2013;57(4):e22-e121. doi:10.1093/cid/cit278
- Barraud O, Ravry C, François B, Daix T, Ploy MC, Vignon P. Shotgun metagenomics for microbiome and resistome detection in septic patients with urinary tract infection. *Int J Antimicrob Agents.* 2019;54(6):803-808. doi:10.1016/j.ijantimicag.2019.09.009
- Baunoch D, Luke N, Wang D, Vollstedt A, et al. Concordance between antibiotic resistance genes and susceptibility in symptomatic urinary tract infections. *Infect & Drug Resist.* 2021;14:3275-3286
- Behzadi P, Behzadi E, Pawlak-Adamska EA. Urinary tract infections (UTIs) or genital tract infections (GTIs)? it's the diagnostics that count. *GMS Hyg Infect Control.* 2019;14:Doc14
- Buchan BW, Ledeboer NA. Emerging technologies for the clinical microbiology laboratory. *Clin Microbiol Rev.* 2014;27(4):783-822. doi:10.1128/CMR.00003-14
- Cavalheiro M, Teixeira MC. Candida biofilms: threats, challenges, and promising strategies. *Front Med (Lausanne).* 2018;5:28
- Croxall G, Weston V, Joseph S, Manning G, Cheetham P, McNally A. Increased human pathogenic potential of *Escherichia coli* from polymicrobial urinary tract infections in comparison to isolates from monomicrobial culture samples. *J Med Microbiol.* 2011;60(Pt 1):102-109. doi:10.1099/jmm.0.020602-0
- Cybulski Z, Schmidt K, Grabiec A, et al. Usability application of multiplex polymerase chain reaction in the diagnosis of microorganisms isolated from urine of patients treated in cancer hospital. *Radiol Oncol.* 2013;47(3):296-303
- Dadi BR, Abebe T, Zhang L, Mihret A, Abebe W, Amogne W. Distribution of virulence genes and phylogenetics of uropathogenic *Escherichia coli* among urinary tract infection patients in Addis Ababa, Ethiopia. *BMC Infect Dis.* 2020;20(1):108
- Daly A, Baunoch D, Rehling K, Luke N, et al. Utilization of M-PCR and P-AST for diagnosis and management of urinary tract infections in home-based primary care. *JOJ Urology & Nephrology.* 2020;7(2):28-34
- Davenport M, Mach KE, Shortliffe LMD, Banaei N, Wang TH, Liao JC. New and developing diagnostic technologies for urinary tract infections. *Nat Rev Urol.* 2017;14(5):296-310. doi:10.1038/nrurol.2017.20



Insufficient Literature for MID – UTI Panels

- de Groot PW, Kraneveld EA, Yin QY, et al. The cell wall of the human pathogen *Candida glabrata*: differential incorporation of novel adhesin-like wall proteins. *Eukaryot Cell.* 2008;7(11):1951-1964. doi:10.1128/EC.00284-08
- de Vos MGJ, Zagorski M, McNally A, Bollenbach T. Interaction networks, ecological stability, and collective antibiotic tolerance in polymicrobial infections. *Proc Natl Acad Sci USA.* 2017;114(40):10666-10671
- Drake MJ, Morris N, Apostolidis A, Rahnama'i MS, Marchesi JR. The urinary microbiome and its contribution to lower urinary tract symptoms; ICI-RS 2015. *Neurourol Urodyn.* 2017;36(4):850-853. doi:10.1002/nau.23006
- Eberly AR, Beebout CJ, Carmen Tong CM, et al. Defining a molecular signature for uropathogenic versus urocolonizing *Escherichia coli*: the status of the field and new clinical opportunities. *J Mol Biol.* 2020;432(4):786-804. doi:10.1016/j.jmb.2019.11.008
- Emmadi R, Boonyaratanaakornkit JB, Selvarangan R, et al. Molecular methods and platforms for infectious diseases testing a review of FDA-approved and cleared assays. *J Mol Diagn.* 2011;13(6):583-604. doi:10.1016/j.jmoldx.2011.05.011
- Enderle JL, Miller AL, Pyles RB. Quantification of bacterial uropathogens in preclinical samples using real-time PCR assays. *Curr Microbiol.* 2014;68(2):220-226. doi:10.1007/s00284-013-0465-8
- Farid A, Naz I, Ashraf A, et al. Molecular detection of antimicrobial resistance in local isolates of *Staphylococcus epidermidis* from urinary tract infections in Faisalabad region of Pakistan. *EXCLI J.* 2015;14:697-705
- Felt JR, Yurkovich C, Garshott DM, et al. The utility of real-time quantitative polymerase chain reaction genotype detection in the diagnosis of urinary tract infections in children. *Clin Pediatr (Phila).* 2017;56(10):912-919. doi:10.1177/0009922817706144
- Feuerschuette OM, Serrattine AC, Bazzo ML, Martins TR, Silveira SK, da Silva RM. Performance of RT-PCR in the detection of *Streptococcus agalactiae* in the anogenital tract of pregnant women. *Arch Gynecol Obstet.* 2012;286(6):1437-1442. doi:10.1007/s00404-012-2498-9
- Fidel PL Jr, Vazquez JA, Sobel JD. *Candida glabrata*: review of epidemiology, pathogenesis, and clinical disease with comparison to *C. albicans*. *Clin Microbiol Rev.* 1999;12(1):80-96. doi:10.1128/CMR.12.1.80
- Flevari A, Theodorakopoulou M, Velegraki A, Armaganidis A, Dimopoulos G. Treatment of invasive candidiasis in the elderly: a review. *Clin Interv Aging.* 2013;8:1199-1208. doi:10.2147/CIA.S39120
- Flores-Mireles AL, Walker JN, Caparon M, Hultgren SJ. Urinary tract infections: Epidemiology, mechanisms of infection and treatment options. *Nat Rev Microbiol.* 2015;13(5):269-284. doi:10.1038/nrmicro3432
- Forastiero A, Garcia-Gil V, Rivero-Menendez O, et al. Rapid development of *Candida krusei* echinocandin resistance during caspofungin therapy. *Antimicrob Agents Chemother.* 2015;59(11):6975-6982. doi:10.1128/AAC.01005-15
- Foxman B. Epidemiology of urinary tract infections: incidence, morbidity, and economic costs. *Dis Mon.* 2003;49(2):53-70. doi:10.1067/mda.2003.7
- Frickmann H, Masanta WO, Zautner AE. Emerging rapid resistance testing methods for clinical microbiology laboratories and their potential impact on patient management. *Biomed Res Int.* 2014;2014:375681. doi:10.1155/2014/375681
- Gajdács, M., Ábrók, M., Lázár, A, et al. Differential epidemiology and antibiotic resistance of lactose-fermenting and non-fermenting *Escherichia coli*: Is it just a matter of taste?. *BIOLOGIA FUTURA.* 2020;71:175-182
- Garnacho-Montero J, Ortiz-Leyba C, Herrera-Melero I, et al. Mortality and morbidity attributable to inadequate empirical antimicrobial therapy in patients admitted to the ICU with sepsis: a matched cohort study. *J Antimicrob Chemother.* 2008;61(2):436-441. doi:10.1093/jac/dkm460



- Gaston JR, Johnson AO, Bair KL, White AN, Armbruster CE. Polymicrobial interactions in the urinary tract: is the enemy of my enemy my friend?. *Infect Immun.* 2021;IAI.00652-20. doi:10.1128/IAI.00652-20
- Ghajavand H, Esfahani BN, Havaei SA, Moghim S, Fazeli H. Molecular identification of Acinetobacter baumannii isolated from intensive care units and their antimicrobial resistance patterns. *Adv Biomed Res.* 2015;4:110
- Gharanfoli A, Mahmoudi E, Torabizadeh R, Katiraei F, Faraji S. Isolation, characterization, and molecular identification of Candida species from urinary tract infections. *Curr Med Mycol.* 2019;5(2):33-36. doi:10.18502/cmm.5.2.1159
- Ghosh B, Mukherjee M. Emergence of co-production of plasmid-mediated AmpC beta-lactamase and ESBL in cefoxitin-resistant uropathogenic Escherichia coli. *Eur J Clin Microbiol Infect Dis.* 2016;35(9):1449-1454. doi:10.1007/s10096-016-2683-z
- Hansen WL, van der Donk CF, Bruggeman CA, Stobberingh EE, Wolffs PF. A real-time PCR-based semi-quantitative breakpoint to aid in molecular identification of urinary tract infections. *PLoS One.* 2013;8(4):e61439
- Harris M, Fasolino T. New and emerging technologies for the diagnosis of urinary tract infections. *J Lab Med.* 2022;46(1):3-15
- Harris M, Fasolino T, Davis NJ, Ivankovic D, Brownlee N. Multiplex detection of antimicrobial resistance genes for rapid antibiotic guidance of urinary tract infections. *Microbiol Res.* 2023; 14(2):591-602. <https://doi.org/10.3390/microbiolres14020041>
- Hartman LJ, Selby EB, Whitehouse CA, et al. Rapid real-time PCR assays for detection of Klebsiella pneumoniae with the rmpA or magA genes associated with the hypermucoviscosity phenotype: screening of nonhuman primates. *J Mol Diagn.* 2009;11(5):464-471. doi:10.2353/jmoldx.2009.080136
- Hasman H, Saputra D, Sicheritz-Ponten T, et al. Rapid whole-genome sequencing for detection and characterization of microorganisms directly from clinical samples. *J Clin Microbiol.* 2014;52(1):139-146. doi:10.1128/JCM.02452-13
- Heytens S, De Sutter A, Coorevits L, Cools P, Boelens J, Van Simaeij L, et al. Women with symptoms of a urinary tract infection but a negative urine culture: PCR-based quantification of escherichia coli suggests infection in most cases. *Clin Microbiol Infect.* 2017 Sep;23(9):647-652
- Hilt EE, McKinley K, Pearce MM, et al. Urine is not sterile: use of enhanced urine culture techniques to detect resident bacterial flora in the adult female bladder. *J Clin Microbiol.* 2014;52(3):871-876. doi:10.1128/JCM.02876-13
- Ho HJ, Tan MX, Chen MI, et al. Interaction between antibiotic resistance, resistance genes, and treatment response for urinary tract infections in primary care. *J Clin Microbiol.* 2019;57(9):e00143-19. doi:10.1128/JCM.00143-19
- Hooton TM. Clinical practice. Uncomplicated urinary tract infection. *N Engl J Med.* 2012;366(11):1028-1037. doi:10.1056/NEJMcp1104429
- Hrbacek J, Cermak P, Zachoval R. Current antibiotic resistance trends of uropathogens in central europe: survey from a tertiary hospital urology department 2011-2019. *Antibiotics (Basel).* 2020;9(9):630
- Imirzalioglu, C., Hain, T., Chakraborty, T. and Domann, E. (2008), Hidden pathogens uncovered: metagenomic analysis of urinary tract infections. *Andrologia.* 40:66-71. <https://doi.org/10.1111/j.1439-0272.2007.00830.x>
- Jayalath S, Magana-Arachchi D. Dysbiosis of the human urinary microbiome and its association to diseases affecting the urinary system. *Indian J Microbiol.* 2022;62(2):153-166. doi:10.1007/s12088-021-00991-x
- Kelly BN. UTI detection by PCR: Improving patient outcomes. *J Mass Spectrom Adv Clin Lab.* 2023;28:60-62.



- Kenneally C, Murphy CP, Sleator RD, Culligan EP. The urinary microbiome and biological therapeutics: Novel therapies for urinary tract infections. *Microbiol Res.* 2022;259:127010. doi:10.1016/j.micres.2022.127010
- Khasriya R, Sathiananthamoorthy S, Ismail S, et al. Spectrum of bacterial colonization associated with urothelial cells from patients with chronic lower urinary tract symptoms. *J Clin Microbiol.* 2013;51(7):2054-2062. doi:10.1128/JCM.03314-12
- Kline KA, Lewis AL. Gram-positive uropathogens, polymicrobial urinary tract infection, and the emerging microbiota of the urinary tract. *Microbiol Spectr.* 2016;4(2):10.1128/microbiolspec.UTI-0012-2012. doi:10.1128/microbiolspec.UTI-0012-2012
- Ko D, Lukacz E, Juster I, Niecko T, Ashok A, et al. Real-world evidence that a novel diagnostic combining molecular testing with pooled antibiotic susceptibility testing is associated with reduced infection severity and lower cost compared with standard urine culture in patients with complicated or persistently recurrent urinary tract infections. *JU Open Plus.* 2023;1(5):e00021.doi: 10.1097/JU9.0000000000000025
- Korman HJ, Baunoch D, Luke N, et al. A diagnostic test combining molecular testing with phenotypic pooled antibiotic susceptibility improved the clinical outcomes of patients with non-*E. coli* or polymicrobial complicated urinary tract infections. *Res Rep Urol.* 2023;15:141-147.
- Kotaskova I, Obrucova H, Malisova B, et al. Molecular techniques complement culture-based assessment of bacteria composition in mixed biofilms of urinary tract catheter-related samples. *Front Microbiol.* 2019;10:462
- Kovtunovych G, Lytvynenko T, Negrutska V, Lar O, Brisse S, Kozyrovska N. Identification of Klebsiella oxytoca using a specific PCR assay targeting the polygalacturonase pehX gene. *Res Microbiol.* 2003;154(8):587-592. doi:10.1016/S0923-2508(03)00148-7
- Kralik P, Ricchi M. A basic guide to real time PCR in microbial diagnostics: definitions, parameters, and everything. *Front Microbiol.* 2017;8:108. doi:10.3389/fmicb.2017.00108
- Laila UU, Jahan N, Nahar S, Rana M, Sultana F, et al. Gram-positive uropathogens: empirical treatment and emerging antimicrobial resistance. *Biomed Res Clin Prac.* 2019;4. doi:10.15761/BRCP.1000182
- Lattanzio N, Abdelal Q, Bell S, Alkayali T, Lorenzo C, et al. A case report of Aerococcus urinae prosthetic valve infective endocarditis initially misidentify. *Int J Clin Cardiol.* 2020;7:184. doi.org/10.23937/2378-2951/1410184
- Laudisio A, Marinosci F, Fontana D, et al. The burden of comorbidity is associated with symptomatic polymicrobial urinary tract infection among institutionalized elderly. *Aging Clin Exp Res.* 2015;27(6):805-812
- Lee JJ, Moon HS, Lee TY, Hwang HS, Ahn MH, Ryu JS. PCR for diagnosis of male Trichomonas vaginalis infection with chronic prostatitis and urethritis. *Korean J Parasitol.* 2012;50(2):157-159. doi:10.3347/kjp.2012.50.2.157
- Lehmann LE, Hauser S, Malinka T, et al. Rapid qualitative urinary tract infection pathogen identification by SeptiFast real-time PCR. *PLoS One.* 2011;6(2):e17146
- Lehmann LE, Hauser S, Malinka T, Klaschik S, Stüber F, Book M. Real-time polymerase chain-reaction detection of pathogens is feasible to supplement the diagnostic sequence for urinary tract infections. *BJU Int.* 2010;106(1):114-120. doi:10.1111/j.1464-410X.2009.09017
- Leung AKC, Wong AHC, Leung AAM, Hon KL. Urinary tract infection in children. *Recent Pat Inflamm Allergy Drug Discov.* 2019;13(1):2-18
- Leytham T. Molecular testing for urinary tract infection (UTI): 2020 update on clinical utility and reimbursement trends. 2020;1-18. Available at <https://www.darkdaily.com/2020/06/24/free-special-edition-white-paper-molecular-testing-for-urinary-tract-infection-uti-2020-update-on-clinical-utility-and-reimbursement-trends/>



- Louie M, Louie L, Simor AE. The role of DNA amplification technology in the diagnosis of infectious diseases. *CMAJ*. 2000;163(3):301-309. doi:10.1016/s1381-1169(00)00220-x
- Li M, Yang F, Lu Y, Huang W. Identification of Enterococcus faecalis in a patient with urinary-tract infection based on metagenomic next-generation sequencing: a case report. *BMC Infect Dis*. 2020;20(1):467
- Li X, Johnson DE, Mobley HL. Requirement of MrpH for mannose-resistant Proteus-like fimbria-mediated hemagglutination by *Proteus mirabilis*. *Infect Immun*. 1999;67(6):2822-2833. doi:10.1128/IAI.67.6.2822-2833.1999
- Liu LH, Wang NY, Wu AY, Lin CC, Lee CM, Liu CP. *Citrobacter freundii* bacteremia: risk factors of mortality and prevalence of resistance genes. *J Microbiol Immunol Infect*. 2018;51(4):565-572. doi:10.1016/j.jmii.2016.08.016
- Luke N, Baunoch D. After 180 years, is it time for something better for diagnosing utis?. *JOJ Urology and Nephrology*. 2020;7(3):0051-0056
- Martineau F, Picard FJ, Ménard C, Roy PH, Ouellette M, Bergeron MG. Development of a rapid PCR assay specific for *Staphylococcus saprophyticus* and application to direct detection from urine samples. *J Clin Microbiol*. 2000;38(9):3280-3284. doi:10.1128/JCM.38.9.3280-3284.2000
- McDonald M, Kameh D, Johnson ME, Johansen TEB, Albala D, Mouraviev V. A head-to-head comparative phase II study of standard urine culture and sensitivity versus DNA next-generation sequencing testing for urinary tract infections. *Rev Urol*. 2017;19(4):213-220. doi:10.3909/riu0780
- Merino I, de la Fuente A, Domínguez-Gil M, Eiros JM, Tedim AP, Bermejo-Martín JF. Digital PCR applications for the diagnosis and management of infection in critical care medicine. *Crit Care*. 2022;26(1):63
- Messacar K, Parker SK, Todd JK, Dominguez SR. Implementation of rapid molecular infectious disease diagnostics: The role of diagnostic and antimicrobial stewardship. *J Clin Microbiol*. 2017;55(3):715-723. doi:10.1128/JCM.02264-16
- Miller MB. Opinion on syndromic panel-based testing in clinical microbiology. *Clin Chem*. 2020;66(1):42-44. doi:10.1373/clinchem.2019.304832
- Miller MB, Tang YW. Basic concepts of microarrays and potential applications in clinical microbiology. *Clin Microbiol Rev*. 2009;22(4):611-633. doi:10.1128/CMR.00019-09
- Mody L, Juthani-Mehta M. Urinary tract infections in older women: a clinical review. *JAMA*. 2014;311(8):844-854. doi:10.1001/jama.2014.303
- Mouraviev V, McDonald M. An implementation of next generation sequencing for prevention and diagnosis of urinary tract infection in urology. *Can J Urol*. 2018;25(3):9349-9356
- Moustafa A, Li W, Singh H, et al. Microbial metagenome of urinary tract infection. *Sci Rep*. 2018;8(1):4333
- Multani A, Subramanian AK, Liu AY. Successful eradication of chronic symptomatic *Candida krusei* urinary tract infection with increased dose micafungin in a liver and kidney transplant recipient: case report and review of the literature. *Transpl Infect Dis*. 2019;21(4):e13118. doi:10.1111/tid.13118
- Munita JM, Arias CA. Mechanisms of Antibiotic Resistance. *Microbiol Spectr*. 2016;4(2):10.1128/microbiolspec.VMBF-0016-2015. doi:10.1128/microbiolspec.VMBF-0016-2015
- National Healthcare Safety Network. Urinary tract infection (catheter-associated urinary tract infection [CAUTI] and non-catheter-associated urinary tract infection [UTI]) events. In: National Healthcare Safety Network Patient Safety Component Manual. 2023;1-18. Accessed January 26, 2023. https://www.cdc.gov/nhsn/pdfs/pscmanual/pcsmmanual_current.pdf
- Neopane P, Nypaver J, Beqaj S, Shrestha R. Rapid detection of uropathogens and antibiotic-resistant genes using open array multiplex PCR technology. *Am J Clin Pathol*. 2022;158 Supp 1:S143-S144.



- Nicolle LE. Urinary tract pathogens in complicated infection and in elderly individuals. *J Infect Dis.* 2001;183 Suppl 1:S5-S8. doi:10.1086/318844
- Nicolle LE; AMMI Canada Guidelines Committee*. Complicated urinary tract infection in adults. *Can J Infect Dis Med Microbiol.* 2005;16(6):349-360. doi:10.1155/2005/385768
- Orenstein R, Wong ES. Urinary tract infections in adults. *Am Fam Physician.* 1999;59(5):1225-1237.
- Oyaert M, Van Meensel B, Cartuyvels R, et al. Laboratory diagnosis of urinary tract infections: Towards a BILULU consensus guideline. *J Microbiol Methods.* 2018;146:92-99. doi:10.1016/j.mimet.2018.02.006
- Padmavathy B, Vinoth Kumar R, Patel A, Deepika Swarnam S, Vaidehi T, Jaffar Ali BM. Rapid and sensitive detection of major uropathogens in a single-pot multiplex PCR assay. *Curr Microbiol.* 2012;65(1):44-53. doi:10.1007/s00284-012-0126-3
- Pang Y, Shang Y, Lu J, et al. GeneXpert MTB/RIF assay in the diagnosis of urinary tuberculosis from urine specimens. *Sci Rep.* 2017;7(1):6181
- Park Y, Koo SH. Epidemiology, molecular characteristics, and virulence factors of carbapenem-resistant *Pseudomonas aeruginosa* isolated from patients with urinary tract infections. *Infect Drug Resist.* 2022;15:141-151
- Pascual A, Jaton K, Ninet B, Bille J, Greub G. New diagnostic real-time PCR for specific detection of mycoplasma hominis DNA. *Int J Microbiol.* 2010;2010:317512. doi:10.1155/2010/317512
- Pirkani GS, Awan MA, Abbas F, Din M. Culture and PCR based detection of bacteria causing urinary tract infection in urine specimen. *Pak J Med Sci.* 2020;36(3):391-395. doi:10.12669/pjms.36.3.1577
- Prasada Rao CMM, Vennila T, Kosanam S, et al. Assessment of bacterial isolates from the urine specimens of urinary tract infected patient. *Biomed Res Int.* 2022;2022:4088187
- Price TK, Dune T, Hilt EE, et al. The clinical urine culture: Enhanced techniques improve detection of clinically relevant microorganisms. *J Clin Microbiol.* 2016;54(5):1216-1222. doi:10.1128/JCM.00044-16
- Quinn B. Using flexible-content syndromic panels to help manage infectious disease: update on laboratory trends and health outcomes. 2019;1-16. Available at: <https://pharmaceutical.report/whitepapers/using-flexible-content-syndromic-panels-to-help-manage-infectious-disease>
- Rahdar M, Rashki A, Miri HR, Rashki Ghalehnoo M. Detection of pap, sfa, afa, foc, and fim Aahesin-encoding operons in uropathogenic *Escherichia coli* isolates collected from patients with urinary tract infection. *Jundishapur J Microbiol.* 2015;8(8):e22647
- Rahman MM, Hossain MMK, Rubaya R, et al. Association of antibiotic resistance traits in uropathogenic *Escherichia coli* (UPEC) isolates. *Can J Infect Dis Med Microbiol.* 2022;2022:4251486
- Raja B, Goux HJ, Marapadaga A, Rajagopalan S, Kourentzi K, Willson RC. Development of a panel of recombinase polymerase amplification assays for detection of common bacterial urinary tract infection pathogens. *J Appl Microbiol.* 2017;123(2):544-555. doi:10.1111/jam.13493
- Rajivgandhi G, Maruthupandy M, Manoharan N. Detection of TEM and CTX-M genes from ciprofloxacin resistant *Proteus mirabilis* and *Escherichia coli* isolated on urinary tract infections (UTIs). *Microp Pathog.* 2018;121:123-130. doi:10.1016/j.micpath.2018.05.024
- Ramachandran G, Rajivgandhi GN, Chackaravarthi G, et al. Isolation and molecular identification of extended spectrum beta-lactamase producing bacteria from urinary tract infection. *J Infect Public Health.* 2021;14(12):1911-1916. doi:10.1016/j.jiph.2021.10.016



Insufficient Literature for MID – UTI Panels

- Ramezani R, Kardoost Parizi Z, Ghorbanmehr N, Mirshafiee H. Rapid and simple detection of Escherichia coli by loop-mediated isothermal amplification assay in urine specimens. *Avicenna J Med Biotechnol.* 2018;10(4):269-272
- Rivoarilala LO, Victor J, Crucitti T, Collard JM. LAMP assays for the simple and rapid detection of clinically important urinary pathogens including the detection of resistance to 3rd generation cephalosporins. *BMC Infect Dis.* 2021;21(1):1037
- Robledo XG, Arcila KVO, Riascos SHM, García-Perdomo HA. Accuracy of molecular diagnostic techniques in patients with a confirmed urine culture: a systematic review and meta-analysis [published online ahead of print, 2022 Apr 11]. *Can Urol Assoc J.* 2022;10:5489/cuaj.7677. doi:10.5489/cuaj.7677
- Rowe TA, Juthani-Mehta M. Diagnosis and management of urinary tract infection in older adults. *Infect Dis Clin North Am.* 2014;28(1):75-89. doi:10.1016/j.idc.2013.10.004
- Rowe TA, Juthani-Mehta M. Urinary tract infection in older adults. *Aging health.* 2013;9(5). doi:10.2217/ahe.13.38
- Ruiz-Villalba A, Ruijter JM, van den Hoff MJB. Use and misuse of Cq in qPCR data analysis and reporting. *Life (Basel).* 2021;11(6):496. doi:10.3390/life11060496
- Sabat AJ, van Zanten E, Akkerboom V, et al. Targeted next-generation sequencing of the 16S-23S rRNA region for culture-independent bacterial identification - increased discrimination of closely related species. *Sci Rep.* 2017;7(1):3434
- Sabharwal N, Dhall S, Chhibber S, Harjai K. Molecular detection of virulence genes as markers in Pseudomonas aeruginosa isolated from urinary tract infections. *Int J Mol Epidemiol Genet.* 2014;5(3):125-134
- Santos M, Mariz M, Tiago I, Martins J, Alarico S, Ferreira P. A review on urinary tract infections diagnostic methods: Laboratory-based and point-of-care approaches. *J Pharm Biomed Anal.* 2022;219:114889. doi:10.1016/j.jpba.2022.114889
- Schaeffer E. UTI-Is traditional culture testing obsolete?. *Everyday Urology.* 2020;5(1)
- Schmidt K, Stanley KK, Hale R, et al. Evaluation of multiplex tandem PCR (MT-PCR) assays for the detection of bacterial resistance genes among Enterobacteriaceae in clinical urines. *J Antimicrob Chemother.* 2019;74(2):349-356. doi:10.1093/jac/dky419
- Schwebke JR, Taylor SN, Ackerman R, et al. Clinical validation of the aptima bacterial vaginosis and aptima candida/trichomonas vaginitis assays: results from a prospective multicenter clinical study. *J Clin Microbiol.* 2020;58(2):e01643-19. doi:10.1128/JCM.01643-19
- Selin U, Metin D. Growing threat increased carbapenem-resistance among Klebsiella pneumoniae;antibiotic susceptibility pattern of Klebsiella pneumoniae in a tertiary care hospital. *IJCM.* 2020;1(2):1-7. doi: [10.14302/issn.2690-4721.ijcm-19-315](https://doi.org/10.14302/issn.2690-4721.ijcm-19-315)
- Shigemura K, Shirakawa T, Okada H, et al. Rapid detection and differentiation of gram-negative and gram-positive pathogenic bacteria in urine using TaqMan probe. *Clin Exp Med.* 2005;4(4):196-201. doi:10.1007/s10238-004-0056-x
- Simmering JE, Tang F, Cavanaugh JE, Polgreen LA, Polgreen PM. The increase in hospitalizations for urinary tract infections and the associated costs in the United States, 1998-2011. *Open Forum Infect Dis.* 2017;4(1):ofw281
- Simner PJ, Musser KA, Mitchell K, et al. Multicenter evaluation of the Acuitas AMR gene panel for detection of an extended panel of antimicrobial resistance genes among bacterial isolates. *J Clin Microbiol.* 2022;60(3):e0209821. doi:10.1128/JCM.02098-21



Insufficient Literature for MID – UTI Panels

- Singh V, Wilks C, Reddy J, Granger J. Outpatient urinary-tract-infection-like symptoms: causative microbial survey utilizing multiplex quantitative polymerase chain reaction methodology. *Adv Infect Dis.* 2020;10(1):26-36. doi:10.4236/aid.2020.101003
- Somorin YM, Weir NM, Pattison SH, et al. Antimicrobial resistance in urinary pathogens and culture-independent detection of trimethoprim resistance in urine from patients with urinary tract infection. *BMC Microbiol.* 2022;22(1):144
- Strommenger B, Kettlitz C, Werner G, Witte W. Multiplex PCR assay for simultaneous detection of nine clinically relevant antibiotic resistance genes in *Staphylococcus aureus*. *J Clin Microbiol.* 2003;41(9):4089-4094. doi:10.1128/JCM.41.9.4089-4094.2003
- Sultana M, Paul SK, Hossain S, Khatun N, Naznin A. PCR results among culture positive and culture negative specimens of suspected UTI patients in Mymensingh Medical College Hospital, Mymensingh, Bangladesh. *Saudi J Pathol Microbiol.* 2021; 6(10): 359-362
- Sun Z, Liu W, Zhang J, Wang S, Yang F, Fang Y, et al. The direct semi-quantitative detection of 18 pathogens and simultaneous screening for nine resistance genes in clinical urine samples by a high-throughput multiplex genetic detection system. *Front Cell Infect Microbiol.* 2021 Apr 12;11:660461
- Svenstrup HF, Jensen JS, Björnelius E, Lidbrink P, Birkelund S, Christiansen G. Development of a quantitative real-time PCR assay for detection of mycoplasma genitalium. *J Clin Microbiol.* 2005;43(7):3121-3128. doi:10.1128/JCM.43.7.3121-3128.2005
- Szlachta-McGinn A, Douglass KM, Chung UYR, Jackson NJ, Nickel JC, Ackerman AL. Molecular diagnostic methods versus conventional urine culture for diagnosis and treatment of urinary tract infection: a systematic review and meta-analysis. *Eur Urol Open Sci.* 2022;44:113-124.
- Tammaro PD, Aitken SL, Bonomo RA, Mathers AJ, van Duin D, Clancy CJ. Infectious Diseases Society of America guidance on the treatment of AmpC β-Lactamase-Producing Enterobacteriales, Carbapenem-Resistant *Acinetobacter baumannii*, and *Stenotrophomonas maltophilia* infections. *Clin Infect Dis.* 2022;74(12):2089-2114. doi:10.1093/cid/ciab1013
- Tang Y, Procop GW, Persing DH. Molecular diagnostics of infectious diseases. *Clinical Chemistry.* 1997;43(11):2021-2038. doi:<https://doi.org/10.1093/clinchem/43.11.2021>
- Tariq EF, Irshad Y, Khalil HB, Khakwani AS, Khan UA. Urinary tract infection caused by the novel pathogen, *Lactococcus garvieae*: a case report. *Cureus.* 2020;12(7):e9462
- Tchesnokova V, Avagyan H, Rechkina E, et al. Bacterial clonal diagnostics as a tool for evidence-based empiric antibiotic selection. *PLoS One.* 2017;12(3):e0174132
- Thänert R, Reske KA, Hink T, et al. Comparative genomics of antibiotic-resistant uropathogens implicates three routes for recurrence of urinary tract infections. *mBio.* 2019;10(4):e01977-19
- Trung NT, Van Son T, Quyen DT, et al. Significance of nucleic acid testing in diagnosis and treatment of post-neurosurgical meningitis caused by multidrug-resistant *Acinetobacter baumannii*: a case report. *J Med Case Rep.* 2016;10(1):313
- Turner RM, Wu B, Lawrence K, Hackett J, Karve S, Tunceli O. Assessment of outpatient and inpatient antibiotic treatment patterns and health care costs of patients with complicated urinary tract infections. *Clin Ther.* 2015;37(9):2037-2047. doi:10.1016/j.clinthera.2015.06.013
- Ulett KB, Benjamin WH Jr, Zhuo F, et al. Diversity of group B streptococcus serotypes causing urinary tract infection in adults [published correction appears in *J Clin Microbiol.* 2013 Aug;51(8):2806]. *J Clin Microbiol.* 2009;47(7):2055-2060. doi:10.1128/JCM.00154-09



Insufficient Literature for MID – UTI Panels

- Upadhyay P, Surar F, Kim G, et al. 2023. A comparative analysis of the detection of UTI pathogens via culture method and the open array-nanofluidic real time PCR method. *Open Forum Infect Dis.* 2022;9 Suppl 2: ofac492.1842.
- Van der Zee A, Roorda L, Bosman G, Ossewaarde JM. Molecular diagnosis of urinary tract infections by semi-quantitative detection of uropathogens in a routine clinical hospital setting. *PLoS One.* 2016;11(3):e0150755
- Vollstedt A, Baunoch D, Wojno KJ, Luke N, et al. Multisite prospective comparison of multiplex polymerase chain reaction testing with urine culture for diagnosis of urinary tract infections in symptomatic patients. *J Surg Urol.* 2020;1(1):1-10
- Vollstedt A, Baunoch D, Wolfe A, Luke N, et al. Bacterial interactions as detected by Pooled Antibiotic Susceptibility Testing (P-AST) in polymicrobial urine specimens. *J Surg Urol.* 2020;1(1):1-10
- Wiener ES, Heil EL, Hynicka LM, Johnson JK. Are fluoroquinolones appropriate for the treatment of extended-spectrum β-Lactamase-producing gram-negative Bacilli?. *J Pharm Technol.* 2016;32(1):16-21. doi:10.1177/8755122515599407
- Wilson ML, Gaido L. Laboratory diagnosis of urinary tract infections in adult patients. *Clin Infect Dis.* 2004;38(8):1150-1158. doi:10.1086/383029
- Wojno KJ, Baunoch D, Luke N, Opel M, et al. Multiplex PCR based urinary tract infection (UTI) analysis compared to traditional urine culture in identifying significant pathogens in symptomatic patients. *Urology.* 2020;136:119-126. doi:10.1016/j.urology.2019.10.018
- Wolfe AJ, Toh E, Shibata N, et al. Evidence of uncultivated bacteria in the adult female bladder. *J Clin Microbiol.* 2012;50(4):1376-1383. doi:10.1128/JCM.05852-11
- Xu R, Deebel N, Casals R, Dutta R, Mirzazadeh M. A new gold rush: A review of current and developing diagnostic tools for urinary tract infections. *Diagnostics (Basel).* 2021;11(3):479. doi:10.3390/diagnostics11030479
- Zafar S, Fatima K, Faryal R. Prevalence of virulent Candida spp. in complicated urinary tract infection of nephrolithiatic patients from surgical units of tertiary care hospitals Islamabad. *J Mycol Med.* 2020;30(4):101024. doi:10.1016/j.mycmed.2020.101024
- Zhanel GG, Hisanaga TL, Laing NM, et al. Antibiotic resistance in outpatient urinary isolates: final results from the North American Urinary Tract Infection Collaborative Alliance (NAUTICA). *Int J Antimicrob Agents.* 2005;26(5):380-388. doi:10.1016/j.ijantimicag.2005.08.003
- Zhang W, Niu Z, Yin K, et al. Quick identification and quantification of *proteus mirabilis* by polymerase chain reaction (PCR) assays. *Ann Microbiol.* 2013; 63:683-689